FLOOR PLAN NOTES

- 2. GENERAL CONTRACTOR (G.C.) IS ADVISED THAT IT IS THEIR RESPONSIBILITY TO ENSURE THAT ALL CONSTRUCTION IS IN COMPLIANCE WITH STATE AND LOCAL CODES AND THE APPLICABLE ACCESSIBILITY GUIDELING. G.C. IS TO VERIFY THE COORDINATION OF THE VARIOUS DRAWINGS. IF CONFLICT OF INFORMATION IS FOUND CONTACT THE PARTIES IN THE DISCREPANCY
- MEASUREMENTS & DIRECT OBSERVATIONS. THERE IS NO CHANGE IN THE CURRENT SCOPE OF WORK.
- 2302(B). NO STORAGE GREATER THAN 12 FT. NO HIGH HAZARD COMMODITIES ABOVE 6 FT.

(PROVIDED SEPARATELY, UNDER TENANT'S SCOPE OF WORK)

SUPPLIED. SIMILAR TO J.L. INDUSTRIES MODEL COSMIC 5E. LOCATE EXTINGUISHERS AS SHOWN. PROVIDE "FIRE EXTINGUISHER' SIGNS ON WALL DIRECTLY ABOVE EACH UNIT. CONTRACTOR SHALL HAVE EXTINGUISHERS

- * ON WALL BRACKETS w/ CONTROLS AT 48" A.F.F.
- * TABLE 906.3(1) w/ ONE PER 3,000 S.F. \$ WITHIN 75 FT.
- * SECT. 906.5 MOUNT IN CONSPICUOUS LOCATION

MUST BE PROVIDED PRIOR TO DELIVERY. KNOX BOX CONTACT # 866-625-4563



SMOKE FREE NOTE: PROVIDE SIGNAGE SHOWN ABOVE AT EVERY ENTRY POINT ON EXTERIOR WALL INTO THE BUILDING PER THE GROUND UP OR IN-LINE STORE TYPE ABOVE. SIGNS MUST BE 10"hX7w" IN SIZE. THE MATERIAL IS PREFERRED TO BE ALUMINUM. SIGNS MAY BE FOUND AT

. VERIFY / COORDINATE ALL EXTERIOR DOOR \$ HVAC EQUIPMENT LOCATIONS W/ SITE CONDITIONS.

BEFORE PROCEEDING.

. COLUMN LAYOUT NOTE: COLUMNS SHOWN ARE EXISTING, BASED ON FIELD

NO HIGH PILED STORAGE AS DEFINED, 2017-OFC

FOUR (4) FIRE EXTINGUISHERS (4 SHOWN)

* 2A-IOBC RATED FIRE EXTINGUISHERS TO BE TENANT INSPECTED \$ TAGGED.

- NOTE: KNOX BOX ENTRY SYSTEM, IF REQUIRED BY CODE



SENT TO BUILDING DEPT.

WWW.compliancesigns.com

12000

T · · · O

SARTOLO FOR SARDNAN, SAC

SCHROEDER

1015175

Bill Schroeder, Lic. #1015175 Expiration Date: 12 / 31 / 2020

TO FAMILY DOLLAR FOR REV.

8/2/2021

 \mathcal{O}

DRAWING TITLE:

FLOOR PLAN

8/2/2020

AS SHOWN

A-2.0